

		Velocity, M/S							Energy, Joules						Trajectory, 100 m sight-in range						Point Blank														
		V <sub>0</sub>	V <sub>50</sub>	V <sub>100</sub>	V <sub>150</sub>	V <sub>200</sub>	V <sub>250</sub>	V <sub>300</sub>	E <sub>0</sub>	E <sub>50</sub>	E <sub>100</sub>	E <sub>150</sub>	E <sub>200</sub>	E <sub>250</sub>	E <sub>300</sub>	50 m	100 m	150 m	200 m	250 m	300 m	Blank Range*	Trajectory, Point Blank Range												
																							50 m	100 m	150 m	200 m	250 m	300 m							
<b>Premier® Swift® A-Frame®</b>	<b>Bullet Type</b>	<b>Weight</b>																																	
27894	270 Win	A-Frame® PSP	140 gr.	892	845.4	800.7	757.5	715.6	675.1	635.8	3.609	3.242	2.908	2.603	2.323	2.067	1.834	-0.8	+	-3.0	-10.2	-22.4	-39.9	182	+1.2	+3.9	+2.8	-2.4	-12.7	-28.3					
27893	7mm Remington Mag	A-Frame® PSP	160 gr.	884	843.1	803.5	765.0	727.5	691.1	655.8	4.051	3.685	3.347	3.034	2.744	2.476	2.229	-0.8	+	-3.0	-10.1	-22.0	-39.1	183	+1.2	+3.9	+2.9	-2.3	-12.2	-27.3					
27914	7mm Remington Ultra Mag	A-Frame® PSP	175 gr.	922	889.4	857.5	826.4	796.0	766.2	737.0	4.820	4.485	4.169	3.872	3.593	3.329	3.080	-0.9	+	-2.4	-8.5	-18.3	-32.2	193	+1.0	+3.8	+3.3	-0.8	-8.7	-20.6					
27930	30-06 Sprg	A-Frame® PSP	180 gr.	823	783.4	744.9	707.6	671.3	636.1	601.9	3.950	3.579	3.236	2.920	2.628	2.360	2.113	-0.5	+	-3.9	-12.8	-27.1	-47.1	170	+1.5	+4.0	+2.1	-4.8	-17.1	-35.1					
27884	300 Remington Ultra Mag, PL III	A-Frame® PSP	200 gr.	924	883.4	843.9	805.6	768.3	731.9	696.6	5.532	5.057	4.615	4.205	3.825	3.471	3.144	-0.9	+	-2.6	-8.9	-19.2	-34.2	190	+1.0	+3.8	+3.2	-1.2	-9.6	-22.7					
27882	300 Remington Ultra Mag	A-Frame® PSP	180 gr.																																
27921	300 Win Mag	A-Frame® PSP	180 gr.	902	860.3	819.6	780.2	741.8	704.5	668.3	4.745	4.316	3.918	3.550	3.209	2.894	2.605	-0.8	+	-2.8	-9.6	-20.8	-37.2	186	+1.1	+3.9	+3.0	-1.8	-11.1	-25.5					
27922	300 Win Mag	A-Frame® PSP	200 gr.	861	822.2	784.5	747.7	711.9	677.2	643.4	4.804	4.380	3.988	3.623	3.284	2.972	2.682	-0.7	+	-3.2	-10.8	-23.4	-41.4	179	+1.3	+3.9	+2.7	-3.0	-13.6	-29.5					
27890	8mm Remington Mag	A-Frame® PSP	200 gr.	884	837.0	791.8	747.9	705.5	664.4	624.7	5.064	4.540	4.063	3.625	3.225	2.860	2.529	-0.7	+	-3.1	-10.6	-23.2	-41.2	181	+1.2	+4.0	+2.9	-2.7	-13.2	-29.3					
27901	338 Win Mag	A-Frame® PSP	225 gr.	849	803.9	760.3	718.0	677.2	637.7	599.4	5.254	4.711	4.214	3.758	3.343	2.964	2.619	-0.6	+	-3.6	-12.0	-25.8	-45.3	173	+1.4	+3.9	+2.3	-4.1	-16.0	-33.4					
27940	338 Remington Ultra Mag	A-Frame® PSP	250 gr.	872	835.5	800.2	765.8	732.3	699.6	667.7	6.159	5.654	5.186	4.750	4.344	3.964	3.611	-0.7	+	-3.1	-10.2	-22.0	-39.0	182	+1.2	+3.9	+2.8	-2.4	-12.3	-27.3					
27917	375 H&H Mag	A-Frame® PSP	300 gr.	769	727.7	688.1	649.7	612.4	576.3	541.9	5.748	5.147	4.602	4.103	3.645	3.228	2.854	-0.2	+	-5.1	-15.8	-32.8	-57.8	158	+1.9	+4.0	+1.0	-7.7	-22.7	-45.6					
29342	375 Remington Ultra Mag	A-Frame® PSP	300 gr.	841	798.1	756.3	715.7	676.5	638.4	601.5	6.875	6.191	5.560	4.979	4.448	3.961	3.517	-0.6	+	-3.7	-12.2	-26.2	-45.7	172	+1.4	+4.0	+2.3	-4.3	-16.3	-33.9					
27934	416 Remington Magnum	A-Frame® PSP	400 gr.	732	693.6	656.8	621.1	586.4	553.1	521.4	6.944	6.235	5.591	4.999	4.456	3.965	3.523	+0.1	+	-5.7	-17.5	-36.7	-64.4	152	+2.1	+4.0	+0.3	-9.5	-26.7	-52.5					
<b>Premier® Swift® Scirocco® Bonded</b>	<b>Bullet Type</b>	<b>Weight</b>																																	
29320	243 Win	Swift® Scirocco® Bonded	90 gr.	951	908.9	868.1	828.6	790.2	752.8	716.4	2.637	2.409	2.197	2.002	1.821	1.652	1.497	-1.0	+	-2.3	-8.2	-17.8	-31.8	195	+0.9	+3.8	+3.4	-0.6	-8.3	-20.4					
29322	270 Win	Swift® Scirocco® Bonded	130 gr.	933	895.2	858.8	823.4	788.9	755.2	722.4	3.666	3.375	3.106	2.856	2.621	2.402	2.198	-1.0	+	-2.4	-8.4	-18.3	-32.4	193	+0.9	+3.8	+3.3	-0.8	-8.7	-20.9					
29162	17 Remington	AccuTip-V	20 gr.	1.295	1.182.3	1.078.3	982.4	893.1	809.6	730.9	1.087	906	753	625	517	425	346	-1.6	+	-0.5	-3.5	-9.7	-19.5	231	+3.0	+4.0	+2.5	-2.2	-10.5	-23.6					
29218	204 Ruger	AccuTip-V	32 gr.	1.288	1.188.2	1.095.8	1.009.7	929.1	853.3	781.5	1.720	1.464	1.245	1.057	895	755	631	-1.6	+	-0.4	-3.2	-8.9	-18.0	236	+3.0	+4.0	+2.7	-1.5	-9.1	-20.6					
29220	204 Ruger	AccuTip-V, Boat Tail	40 gr.	1.189	1.117.5	1.050.1	986.2	925.3	867.1	811.4	1.832	1.618	1.429	1.260	1.110	974	853	-1.5	+	-0.7	-3.9	-10.0	-19.5	230	+3.1	+4.0	+2.3	-2.2	-10.0	-21.5					
29154	22 Hornet	AccuTip-V	35 gr.	945	800.8	670.8	553.9	452.0	371.9	320.3	1.013	727	510	347	232	157	116	-0.6	+	-4.9	-18.2	-43.9	-88.2	158	+1.5	+4.1	+1.2	-10.0	-33.8	-76.0					
29172	221 Fireball	AccuTip-V, Boat Tail	50 gr.	913	846.5	783.3	722.9	665.2	610.1	557.8	1.350	1.161	994	847	717	603	504	-0.8	+	-3.2	-11.1	-24.5	-44.4	178	+1.2	+3.9	+2.7	-3.3	-14.7	-32.7					
29174	222 Remington	AccuTip-V, Boat Tail	50 gr.	957	899.6	825.4	764.2	705.6	649.6	596.1	1.484	1.282	1.104	946	807	684	576	-0.9	+	-2.7	-9.5	-21.3	-38.7	187	+1.0	+3.9	+3.1	-1.7	-11.7	-27.1					
29184	223 Remington	AccuTip-V, Boat Tail	50 gr.	1.039	967.6	899.6	834.9	773.3	714.2	657.9	1.749	1.517	1.311	1.129	969	826	701	-1.2	+	-1.9	-7.3	-16.7	-31.0	200	+0.6	+3.9	+3.6	-7.6	-20.1	-38.2					
29192	223 Remington	AccuTip	55 gr.	988	922.0	859.5	799.9	742.7	688.0	635.5	1.739	1.515	1.316	1.140	983	843	720	-1.1	+	-2.3	-8.4	-18.9	-34.7	193	+0.8	+3.8	+3.3	-0.8	-9.5	-23.5					
29186	22-250 Remington	AccuTip-V, Boat Tail	50 gr.	1.158	1.079.5	1.005.4	935.4	869.0	805.8	745.4	2.172	1.888	1.637	1.417	1.223	1.052	900	-1.4	+	-1.0	-4.8	-11.9	-22.6	221	+0.2	+3.3	+4.0	-3.6	-12.7	-26.3					
29194	243 Win	AccuTip-V, Boat Tail	75 gr.	1.029	975.3	924.1	874.8	827.3	781.4	736.9	2.573	2.311	2.075	1.860	1.663	1.484	1.320	-1.2	+	-1.6	-6.6	-15.1	-27.4	206	+0.6	+3.6	+3.7	-6.1	-16.6	-31.8					
29196	243 Win	AccuTip-V, Boat Tail	95 gr.	951	904.8	860.2	817.1	775.3	734.7	695.4	2.784	2.520	2.277	2.055	1.850	1.661	1.488	-1.0	+	-2.4	-8.4	-18.3	-33.0	193	+0.9	+3.8	+3.3	-0.8	-8.9	-21.6					
29198	260 Remington	AccuTip	120 gr.	881	848.4	816.6	785.6	755.2	725.5	696.6	3.018	2.798	2.593	2.399	2.217	2.046	1.887	-0.8	+	-2.9	-9.7	-20.7	-36.5	185	+1.2	+3.9	+3.0	-1.8	-10.9	-24.8					
29200	270 Win	AccuTip-V, Boat Tail	130 gr.	933	896.4	861.1	826.7	793.2	760.5	728.5	3.666	3.384	3.123	2.879	2.650	2.436	2.235	-1.0	+	-2.4	-8.4	-18.1	-32.1	193	+0.9	+3.8	+3.3	-0.8	-8.7	-20.7					
29202	280 Remington	AccuTip-V, Boat Tail	140 gr.	914	881.4	849.3	817.9	787.3	757.3	727.9	3.789	3.524	3.272	3.034	2.812	2.601	2.403	-0.9	+	-2.5	-8.7	-18.7	-33.0	191	+1.0	+3.8	+3.2	-1.0	-9.2	-21.5					
29216	7mm-08 Remington	AccuTip-V, Boat Tail	140 gr.	872	839.8	808.7	778.2	748.4	719.2	690.7	3.449	3.199	2.966	2.747	2.541	2.346	2.164	-0.7	+	-3.0	-9.9	-21.2	-37.4	184	+1.2	+3.9	+2.9	-2.0	-11.4	-25.6					
29204	7mm Remington Magnum	AccuTip-V, Boat Tail	140 gr.	968	933.4	900.0	867.4	835.6	804.5	774.2	4.250	3.952	3.674	3.413	3.167	2.936	2.719	-1.1	+	-1.9	-7.2	-16.0	-28.5	201	+0.7	+3.6	+3.5	-6.9	-17.6	-32.1					
29206	7mm Remington Magnum	AccuTip-V, Boat Tail	150 gr.	948	916.9	886.6	857.0	828.0	799.7	771.9	4.368	4.086	3.820	3.569	3.332	3.108	2.896	-1.0	+	-2.1	-7.6	-16.7	-29.5	199	+0.8	+3.7	+3.5	-0.1	-7.3	-18.3					
29208	30-06 Sprg	AccuTip-V, Boat Tail	150 gr.	887	849.3	812.6	776.9	742.0	708.1	675.1	3.824	3.505	3.209	2.933	2.676	2.437	2.215	-0.8	+	-2.9	-9.8	-21.2	-37.6	185	+1.2	+3.9	+3.0	-1.9	-11.3	-25.8					
29210	30-06 Sprg	AccuTip-V, Boat Tail	165 gr.	853	819.3	785.9	753.3	721.5	690.5	660.3	3.890	3.588	3.302	3.034	2.783	2.549	2.331	-0.7	+	-3.2	-10.7	-23.1	-40.7	180	+1.3	+4.0	+2.8	-2.8	-13.1	-28.7					
29226	30-06 Sprg	AccuTip-V, Boat Tail	180 gr.	831	799.2	768.6	738.6	709.3	680.7	652.8	4.027	3.725	3.445	3.181	2.934	2.702	2.485	-0.6	+	-3.5	-11.5	-24.5	-42.8	176	+1.4	+4.0	+2.5	-3.5	-14.5	-30.8					
29003	30 Remington AR	AccuTip	125 gr.	853	808.0	764.0	721.4	680.3																											







\* +4.0 cm Max Rise above LOS

UMC Rifle	Bullet Type	Weight	Velocity, M/S							Energy, Joules							Trajectory, 100 m sight-in range						Point Blank																			
			V <sub>0</sub>		V <sub>50</sub>		V <sub>100</sub>		V <sub>150</sub>		V <sub>200</sub>		V <sub>250</sub>		V <sub>300</sub>		E <sub>0</sub>		E <sub>50</sub>		E <sub>100</sub>		E <sub>150</sub>		E <sub>200</sub>		E <sub>250</sub>		E <sub>300</sub>		50 m		100 m		150 m		200 m		250 m		300 m	
			Range*	50 m	100 m	150 m	200 m	250 m	300 m	50 m	100 m	150 m	200 m	250 m	300 m	50 m	100 m	150 m	200 m	250 m	300 m	50 m	100 m	150 m	200 m	250 m	300 m	50 m	100 m	150 m	200 m	250 m	300 m	50 m	100 m	150 m	200 m	250 m	300 m			
28472 17 Remington Fireball	JHP	25	1.231	1.124,6	1.026,2	934,9	849,6	769,5	693,9	1.227	1.024	853	708	585	480	390	-1.5	⊕	-0.8	-4.4	-11.5	-22.6	222	+0,1	+3,2	+4,0	-3,5	-13,0	-27,8													
23711 223 Remington	MC	55	988	905,3	827,9	754,7	685,3	619,6	557,6	1.739	1.460	1.221	1.015	837	684	554	-1.0	⊕	-2.6	-9.5	-21.6	-40.0	187	+0,9	+3,8	+3,2	-1,8	-12,0	-28,5													
23748 223 Remington	JHP	45	1.082	979,4	884,4	795,8	712,6	634,6	561,5	1.707	1.399	1.140	923	740	587	460	-1.2	⊕	-2.0	-7.7	-18.5	-35.1	197	+0,6	+3,7	+3,6	-0,4	-9,3	-24,1													
23812 223 Remington	JHP	50	1.044	953,8	869,5	790,3	715,4	644,8	578,0	1.766	1.474	1.225	1.012	829	674	541	-1.2	⊕	-2.1	-8.1	-19.0	-35.6	194	+0,7	+3,7	+3,4	-0,7	-9,8	-24,5													
23815 223 Remington	CTFB	62	945	882,8	823,5	766,7	712,1	659,9	609,8	1.794	1.565	1.362	1.181	1.019	875	747	-0.9	⊕	-2.7	-9.5	-21.3	-38.5	187	+1,0	+3,9	+3,1	-1,7	-11,6	-26,9													
23750 22-250 Remington	JHP	45	1.219	1.105,2	1.000,7	904,2	814,3	730,0	650,9	2.166	1.781	1.460	1.192	967	777	618	-1.5	⊕	-1.0	-5.0	-12.6	-25.0	217	+0,1	+3,3	+4,0	-4,4	-15,1	-31,5													
23813 22-250 Remington	JHP	50	1.164	1.065,4	973,7	888,2	807,9	732,1	660,5	2.195	1.839	1.536	1.278	1.057	868	707	-1.4	⊕	-1.2	-5.5	-13.5	-26.2	213	+0,3	+3,4	+3,9	-5,0	-16,1	-32,5													
24035 6.8mm Remington SPC	MC	115	800	757,5	716,2	676,2	637,5	600,0	563,8	2.385	2.138	1.911	1.704	1.514	1.341	1.184	-0.4	⊕	-4.5	-14.3	-29.9	-52.4	163	+1,6	+4,0	+1,5	-6,3	-19,9	-40,4													
23709 7.62x39mm	MC	123	721	669,2	619,7	572,1	527,5	485,6	446,3	2.072	1.785	1.530	1.304	1.109	940	794	+0.2	⊕	-6.5	-20.8	-44.1	-77.1	146	+2,2	+3,9	-0,6	-13,1	-34,4	-65,5													
23712 30 Carbine	MC	110	607	532,9	466,4	408,6	361,7	327,7	303,9	1.313	1.012	775	595	466	383	329	+1.9	⊕	13.1	-41.1	-87.9	- --	117	+3,1	+2,5	-9,3	-36,0	-81,6	- --													
24033 30 Remington AR	MC	123	853	796,5	741,8	689,3	638,9	590,5	544,7	2.900	2.528	2.193	1.893	1.627	1.390	1.182	-0.6	⊕	-3.9	-13.0	-27.9	-50.1	169	+1,4	+4,0	+2,1	-5,1	-17,9	-38,1													
23715 308 Win	MC	150	860	811,0	764,1	718,7	675,0	632,7	591,8	3.594	3.196	2.837	2.510	2.214	1.945	1.702	-0.6	⊕	-3.5	-11.9	-25.6	-45.1	165	+1,6	+4,0	+1,7	-5,9	-19,1	-38,3													
23699 30-06 Sprg	MC	150	887	837,4	789,6	743,4	698,8	655,7	614,1	3.824	3.408	3.030	2.686	2.373	2.089	1.833	-0.7	⊕	-3.1	-10.7	-23.4	-41.7	170	+1,5	+4,0	+2,1	-4,7	-17,0	-34,9													
23701 303 British	MC	174	754	709,4	666,1	624,2	583,7	545,2	508,8	3.205	2.837	2.501	2.196	1.921	1.676	1.459	0.0	⊕	-5.5	-16.9	-36.0	-63.7	154	+2,0	+4,0	+0,5	-8,9	-26,0	-51,7													
Premier® Copper Solid®	Bullet Type	Weight	Velocity, M/S							Energy, Joules							Trajectory, 100 m sight-in range						Point Blank																			
27633 243 Win	Tipped Copper Solid®	80	1.021	963,5	908,3	855,4	804,6	755,5	708,2	2.702	2.406	2.138	1.897	1.678	1.479	1.300	-1.2	⊕	-1.8	-7.0	-15.9	-29.1	202	+0,6	+3,6	+3,6	+0,2	-6,9	-18,2													
27653 270 Win	Tipped Copper Solid®	130	933	895,1	858,5	822,9	788,3	754,5	721,5	3.666	3.375	3.104	2.852	2.617	2.398	2.193	-1.0	⊕	-2.4	-8.4	-18.3	-32.4	193	+0,9	+3,8	+3,3	-0,8	-8,7	-21,0													
27659 7mm Ren Mag	Tipped Copper Solid®	140	968	932,1	863,7	803,8	749,6	698,6	647,2	4.250	3.941	3.684	3.434	3.131	2.893	2.670	-1.1	⊕	-2.0	-7.3	-16.2	-28.8	201	+0,7	+3,7	+3,6	+0,1	-6,9	-17,7													
27667 30-30 Win	Tipped Copper Solid®	150	677	606,1	540,0	479,8	425,6	380,0	344,2	2.227	1.785	1.417	1.119	880	702	576	-0.9	⊕	-9.5	-29.4	-63.2	- --	129	+2,5	+3,4	-4,4	-22,6	-54,7	- --													
27675 30-06 Springfield	Tipped Copper Solid®	150	887	847,9	809,9	772,9	736,9	701,9	667,8	3.824	3.494	3.188	2.903	2.639	2.394	2.167	-0.8	⊕	-2.9	-9.9	-21.4	-38.1	184	+1,2	+3,9	+2,9	-2,1	-11,7	-26,4													
27678 30-06 Springfield	Tipped Copper Solid®	165	853	819,3	785,9	753,3	721,5	690,5	660,3	3.890	3.588	3.302	3.034	2.783	2.549	2.331	-0.7	⊕	-3.2	-10.7	-23.1	-40.7	180	+1,3	+4,0	+2,8	-2,8	-13,1	-28,7													
27688 300 Win Mag	Tipped Copper Solid®	150	1.003	960,1	918,8	878,7	839,8	802,1	765,3	4.889	4.480	4.103	3.752	3.427	3.127	2.846	-1.2	⊕	-1.7	-6.7	-15.1	-27.3	205	+0,6	+3,6	+3,7	+0,5	-6,2	-16,6													
27693 300 Win Mag	Tipped Copper Solid®	165	994	955,6	918,7	882,8	847,9	813,8	780,6	5.282	4.882	4.512	4.166	3.843	3.540	3.257	-1.2	⊕	-1.7	-6.7	-15.0	-27.1	206	+0,7	+3,6	+3,7	+0,6	-6,0	-16,2													
27696 308 Win	Tipped Copper Solid®	150	860	821,2	783,9	747,7	712,3	678,0	644,6	3.594	3.277	2.986	2.717	2.466	2.234	2.019	-0.7	⊕	-3.2	-10.9	-23.5	-41.4	179	+1,3	+4,0	+2,7	-3,0	-13,6	-29,5													
27692 300 Remington Ultra Mag	Tipped Copper Solid®	165	1.003	960,1	918,8	878,7	839,8	802,1	765,3	5.378	4.928	4.513	4.128	3.770	3.439	3.131	-1.2	⊕	-1.7	-6.7	-15.1	-27.3	205	+0,6	+3,6	+3,7	+0,5	-6,2	-16,6													
Hog Hammer™	Bullet Type	Weight	Velocity, M/S							Energy, Joules							Trajectory, 100 m sight-in range						Point Blank																			
27700 223 Remington	Barnes TSX	62	945	888,3	834	781,9	731,6	683,3	636,8	1.794	1.585	1.397	1.228	1.075	938	815	-0.9	⊕	-2.6	-9.1	-20.3	-36.8	189	+1,0	+3,9	-1,4	-10,7	-25,2	-45,4													
27701 300 AAC Blackout	Barnes TSX	130	632	586,8	543,6	503,0	464,5	429,2	397,8	1.682	1.450	1.245	1.066	909	776	667	+1.1	⊕	-9.6	-28.8	-59.0	-103.	128	+2,8	+3,3	-4,6	-22,1	-50,6	-93,1													
27704 30 Remington AR	Barnes TSX	125	853	801,4	751,4	703,1	656,6	611,8	568,8	2.947	2.601	2.287	2.002	1.746	1.516	1.310	-0.6	⊕	-3.7	-12.5	-26.9	-47.6	171	+1,4	+4,0	-4,6	-17,0	-35,7	-62,7													
27702 30-30 Win	Barnes TSX	150	712	638,3	569,1	505,8	448,0	398,3	357,6	2.464	1.980	1.574	1.243	975	771	621	+0.5	⊕	-8.4	-26.0	-56.4	-102.	136	+2,4	+3,8	-2,7	-18,5	-47,0	-91,0													
27703 30-06 Springfield	Barnes TSX	168	850	812,7	776,0	740,3	705,5	671,7	638,8	3.933	3.595	3.278	2.983	2.709	2.456	2.221	-0.6	⊕	-3.3	-11.2	-24.1	-42.4	177	+1,3	+3,9	-3,3	-14,2	-30,6	-52,6													
27705 308 Win	Barnes TSX	168	817	780,1	744,2	709,3	675,4	642,4	610,2	3.633	3.312	3.015	2.738	2.483	2.246	2.027	-0.5	⊕	-3.9	-12.8	-27.1	-47.1	170	+1,5	+4,0	-4,7	-17,0	-35,0	-59,2													
HyperSonic™ Rifle	Bullet Type	Weight	Velocity, M/S							Energy, Joules							Trajectory, 100 m sight-in range						Point Blank																			
28919 223 Remington	Core-Lokt® Ultra Bonded®, PSP	62	994	948,8	904,9	862,5	821,3	781,4	742,6	1.985	1.808	1.645	1.494	1.355	1.227	1.108	-1.1	⊕	-1.9	-7.1	-15.9	-28.6	202	+0,7	+3,6	-6,8	-17,6	-33,1	-53,6													
28923 243 Win	Core-Lokt® Ultra Bonded®, PSP	100	945	901,1	858,8	817,7	777,9	739,2	701,6	2.893	2.631	2.390	2.166	1.961	1.770	1.595	-1.0	⊕	-2.4	-8.4	-18.4	-32.9	193	+0,9	+3,8	-0,8	-8,8	-21,5	-39,2													
29007 30-06 Springfield	Core-Lokt® Ultra Bonded®, PSP	150	925	876,6	829,8	784,6	740,9	698,5	657,6	4.158	3.734	3.346	2.992	2.668	2.371	2.102	-0.9	⊕	-2.7	-9.2	-20.3	-36.6	188	+1,0	+3,9	-1,5	-10,7	-25,0	-44,8													
29009 30-06 Springfield	Core-Lokt® Ultra Bonded®, PSP	180	863	825,0	787,8	751,6	716,3	682,0	648,7	4.343	3.969	3.619	3.294	2.992	2.713	2.454	-0.7	⊕	-3.2	-10.7	-23.1	-40.9	180	+1,3	+4,0	-2,8	-13,2	-29,0	-50,3													
29033 300 Win Mag	Core-Lokt® Ultra Bonded®, PSP	180	952	910,7	871,1	832,6	795,2	758,9	723,4	5.285	4.837	4.425	4.043	3.688	3.359	3.052	-1.0	⊕	-2.3	-8.1	-17.7	-31.4	195	+0,9	+3,8	-0,6	-8,3	-20,2	-36,9													
29119 308 Win	Core-Lokt® Ultra Bonded®, PSP	150	891	844,0	798,3	754,1	711,3	670,0	630,0	3.858	3.462	3.097	2.764	2.459	2.182	1.929	-0.8	⊕	-3.0	-10.3	-22.6	-4																				